

HUSKY

A LEGEND IS REBORN





CLEAN MOTION SUSTAINABILITY AND PERFORMANCE

CLEAN MOTION is PRINOTH's cutting-edge philosophy, which is not only synonymous with low energy consumption and sustainable environmental protection but also creates vehicles boasting efficiency, excellent performance, and a long service life. CLEAN MOTION is completely synonymous with the HUSKY and perfect slope preparation.

ENGINE TECHNOLOGY STAGE IV/TIER 4 FINAL

Thanks to its innovative engine technology, the HUSKY is the first snow groomer in the world to meet today's strictest exhaust emission standard, Stage IV/Tier 4 final. Compared with its predecessor, this means that 91% of nitrogen oxide emissions and 87.5% of particulate matter emissions are cut. With 170 kW/231 hp there is considerably greater pushing performance and improved handling as well as increased torque.

DRIVER'S CABIN ERGONOMIC AND COMFORTABLE

When cabin comfort is concerned, the HUSKY is bristling with improvements. The userfriendly steering and driving systems help to further optimize work processes and shorten operating times. Optimized ergonomics and revamped instrumentation help to reduce operating hours and make procedures more efficient.

PUSHING PERFORMANCE AND SLOPE PREPARATION RESULTS

The HUSKY is setting new benchmark standards. Thanks to its bigger hydraulic pumps, the efficiency of the drive train is increased and power transmission further optimized. The increased torque has a clear effect on both the pushing performance and the quality of the results when preparing slopes and trails. And with its exclusive premium LED lighting concept, you'll never be left in the dark.

APPLICATIONS OUTDOOR & INDOOR

The HUSKY can be used for cross-country and snowmobile trails as well as small slopes, ski jumps, ski lift tracks and toboggan runs. It is also the perfect snow grooming vehicle for indoor ski slopes and transport work on rough terrain and in areas with little snow. This is a true all-rounder with outstanding gradeability and excellent cost-effectiveness.



SERVICE ALWAYS THERE FOR YOU

Our global service network is always there for you. We are accessible 24 hours per day, 7 days per week. We guarantee expert support and technical assistance during revisions, repairs, and maintenance work. The availability of original replacement parts guarantee that your operations remain problem-free throughout the season.

MORE PUSHING PERFORMANCE

In comparison with its predecessor, the HUSKY has 27% more torque, which has a positive impact on the pushing performance. This allows the vehicle to have a higher torque available throughout the entire speed range.

CLEAN MACHINE

The diesel engine in the HUSKY generates 91% less nitrogen oxide and 87.5% less particulate matter than its predecessor.



SCR TECHNOLOGY

With its innovative engine technology, the HUSKY is the world's first snow groomer of its class to meet the strictest current exhaust emission standard, "Stage IV/Tier 4 final".



CLEAN MOTION

THINKING SUSTAINABLY

With its HUSKY, PRINOTH is presenting the world's first snow groomer to meet today's strictest exhaust emission standard, "Stage IV/Tier 4 final," while also setting new benchmark in its market segment in terms of power, efficiency and cabin comfort. With its exceptional performance and clean engine technology, this vehicle is even suited for indoor use.

LOW CONSUMPTION

The HUSKY does not just score highly on sustainability and environmental protection - it also boasts excellent performance. With low consumption, a long service life, and high efficiency, this innovative front runner is another shining example of PRINOTH's CLEAN MOTION philosophy.

INNOVATIVE ENGINE TECHNOLOGY

PRINOTH is continuing to blaze a trail as a leader in innovation and technology, acting as a pioneer for the latest engine technology with the introduction of its range of snow groomers with SCR systems. The HUSKY is equipped with an MTU OM 934LA series 4-cylinder engine and, at 170 kW/231 hp, delivers considerably more power.

POWERFUL AND HIGH-TORQUE


With a 27% increase in torque to 900 Nm and a whole host of efficient, detailed solutions, the HUSKY offers brand new opportunities to optimize work procedures. Thanks to larger drive pumps, the diesel engine can be used in the lower speed range without reducing working speeds, all while cutting fuel consumption.



Particulate Matter in g/kWh







Oxides of Nitroae in g/kWh



COMFORTABLE DRIVER'S CABIN

SPACIOUS, ERGONOMIC AND COMFORTABLE USER-FRIENDLY AND ERGONOMIC

The HUSKY features a brand new, spacious driver's cabin that offers the driver firstclass seating and working comfort with no compromises. Space, ergonomics and comfort redefine the cabin, transforming it into a workplace that boosts your wellbeing.

All of the HUSKY's steering and driving controls are arranged in a user-friendly way to ensure that the vehicle is as comfortable and as easy to operate as possible. The ergonomics and the intuitive instrumentation help to optimize work procedures and reduce operating hours.

A COMFORTABLE RIDE

The compact design and reduced level of background noise provide a perfect overview, allowing the driver to concentrate more closely on the terrain and driving maneuvers. Exceptional smoothness during operation, all-new cabin suspension, and high-quality insulation ensure that background noise remains at comfortable levels.

TOP-CLASS SEATING COMFORT

Hard workers need top support. The seat configuration in the HUSKY provides optimum seating comfort, allowing you to work with ease. An optional comfort seat features all the little luxuries, from seat temperature control to an adjustable vertical vibration damper and a pneumatic adjustable lumbar support.

WELLBEING AND FRESH AIR

The cabin features an integrated sunroof and adjustable side windows on both sides for an optimum supply of fresh air. Standard cabin and window heating ensures a comfortable environment and unhindered visibility. An optional automatic air-conditioning unit can also be included.




OPTIONAL AIR CONDITIONING

The cabin may optionally be equipped with an automatic air-conditioning unit in the sunroof. This guarantees a pleasant environment in all working conditions.

DO YOU WANT TO TAKE ON PAS-**SENGERS?**

For long, two-person shifts you can choose between a standard bench and a fully-fledged passenger seat.



Working comfort without compromise - A look into the spacious interior cabin



INSTRUMENTATION

CLIMB IN AND SET OFF

Ready, steady, groom! PRINOTH has harmonized the instrumentation across its entire range, reducing the familiarization time needed by the driver. The whole vehicle fleet has the same instrumentation, allowing the driver to simply climb in and set off.

INNOVATIVE ONBOARD DIAGNOSTICS

The driver is alerted to fault messages by audible alarm signals and can easily find details in the fault log. Accelerator pedal & steering characteristics, interval times, and other properties can be stored individually for up to 6 drivers and accessed at any time.

ERGONOMIC CONTROL ELEMENTS

With the 7" display, you have all the required information perfectly in sight. The primary vehicle functions can be controlled with one hand thanks to the multi-function joystick. The secondary vehicle functions can be operated via the direct-access keys, including function feedback. The central rotary actuator can be used to navigate the information and configuration menu.

SIMPLE HANDLING

Choose between a steering wheel and lever. The careful positioning of the center console leaves plenty of storage space. All the secondary control elements are arranged logically on the keyboard (lights, windscreen wiper, window heating, etc.) and are easy to operate. The layout has been designed to prioritize user-friendliness and clarity.

ELECTRIC JOYSTICK

The electric PRINOTH joystick is tailored to fit the natural position of the hand and allows the driver to operate all the main functions of the blade and tiller with one hand. The intuitive operating mode for all functions and the optimum positioning of the arm rest and joystick make it easier for the driver to control the vehicle without getting tired.



EASY TO USE

The information display tells the driver of any possible malfunctions and gives instructions during the startup test. This facilitates troubleshooting and provides a targeted solution for any fault in the system.

INNOVATIVE DISPLAY

representation of all the necessary information and informs the driver of the vehicle status during the startup test.

RADIO & USB

The DAB digital radio receives radio programs via cable and satellite and features an integrated USB port for MP3 players. The storage tray above the radio offers space for small necessities.



Innovative PRINOTH joystick with attachment for important functions

ILLUMINATED DISPLAY

The illuminated display boasts pin-sharp resolution, while the contrast can be adjusted to different lighting conditions depending on the working situation. The keypad is always illuminated, providing a clear view of all information.



EASY OPERATION AT NIGHT

Perfect visibility and a sophisticated lighting system with optional LED technology give the driver an optimum overview, day and night.

LED IT SHINE

PERFECT ILLUMINATION

The halogen lighting concept has been el- The HUSKY is the first snow groomer to have evated to a whole new level of efficiency in the option of being fully equipped with LEDs. the HUSKY in order to provide optimum il- The optional premium LED light package prolumination of the vehicle's surroundings. The vides optimum illumination, guaranteeing front lighting covers a larger distance and maximum visibility and improved productivity. has uniform light distribution.

PREMIUM LED LIGHT PACKAGE

HALOGEN - LIGHT PACKAGE

| FRONT-LIGHTING | REAR-LIGHTING |
|---|---|
| 2 adjustable low-beam 4 directional spotlights 2 turning lights 1 search light 2 direction indicators | 2 position lights 4 directional spotlights |

LED - LIGHT PACKAGE

....


| FRONT-LIGHTING | REAR-LIGHTING |
|--------------------------|--------------------------|
| | 1 |
| 2 adjustable low-beam | 2 position lights |
| 6 directional spotlights | 6 directional spotlights |
| 2 turning lights | |
| 1 search light | |
| 2 direction indicators | |

.....


SEARCH LIGHT

The search light allows the targeted lighting of individual points or whole areas, making it easier to work in the twilight and nighttime hours.





The energy-saving LED technology provides optimum illumination



PERFECTLY PREPARED

FLEXIBLE COMBINATIONS OF PERFECT TILLING WIDTHS

The tried-and-tested PRINOTH tilling technology guarantees perfectly prepared snow tracks. Constant optimization guarantees perfect preparation results. You can count on the HUSKY for optimum slope and cross-country trail conditions! The effective tiller teeth and four different tilling widths deliver top results, whatever your requirements.

| CONFIGURATION OPTIONS | V 2,3 | V 2,5 | V 2,8 | V 3,1 |
|--|----------|----------|----------|----------|
| » Tiller without hydraulic wings » Tiller with hydraulic sidewings up » Tiller with hydraulic sidewings down | 3,255 mm | 3,530 mm | 3,700 mm | 4,060 mm |
| | 3,075 mm | 3,345 mm | 3,530 mm | 3,880 mm |
| | 4,095 mm | 4,365 mm | 4,550 mm | 4,900 mm |

NORDIC LINER

The new shape of the track setting plates ensures smooth gliding across the snow surface and optimum adaptation to various snow conditions. Since the track setting plates and the tillers can be used independently, the use of the tillers can vary depending on the requirements and the condition of the cross-country trail. In this way the fuel consumption can be reduced, despite the higher slope grooming speed.

OPTIMUM CROSS-COUNTRY TRAIL QUALITY

The optimized shape of the track belts compresses the snow and guarantees a better cross-country trail with a longer lifespan. Additional finishers smooth out the track on either side of the track plates for a tidy appearance and well-compressed snow.

Prineth

INNOVATIVE TILLER FUNCTION

With the NEW HUSKY, pre-selection of the tilling mode (contact pressure, floating position, and counter pressure) can even take place when the tiller is raised. The contact- and counter pressure can be continuously adjusted in order to achieve the best finish in every situation.

OPTIMIZED TRACK TILLER

The interlaced cutting teeth improve the tiller's efficiency in snow conditioning and ensure a better and longer-lasting result.

HIGH TRACK PRECISION

Track blades on either side of the track setting plates provide stabilization, ensuring higher precision when preparing cross-country trails. Improved ice-cutting blades loosen the snow in front of the track belts, helping you to achieve perfect cross-country trail preparation. Both the track setting plates and the tillers follow the vehicle at the same time, guaranteeing a perfect track even on curved routes.

BEST IN CLASS

There is only one! The ability to move the blade and tiller at the same time is a feature completely unique to the HUSKY.



OPTIMIZED MANEUVERABILITY

The horizontal pivot function of the blade has reached a new level in the HUSKY, with a turn radius from left to right of 44°.

FLOATING POSITION

The blade has an optional floating position that operates fully vertically and follows the desired unevenness of the ground.

PUSHING PERFORMANCE

EXCEPTIONAL PUSHING PERFORMANCE AND PRECISE SLOPE EDGES

The HUSKY allows you to create perfect slope edges. The 12-way rake blade was especially developed for pushing work with the HUSKY. The optional MASTER blade uses its radii to roll the snow, delivering improved pushing performance with low energy expenditure. The angle of the blade teeth facilitates the breaking up of ice and snow and increases the efficiency of slope

preparation. Choose from the tried-and-tested HUSKY blade and the MASTER blade, newly developed for the HUSKY.

| 12-WAY BLADE | STANDARD | | MASTER |
|--------------|----------|----------|----------|
| » Open | 3,250 mm | 3,650 mm | 3,875 mm |
| » Closed | 2,720 mm | 3,000 mm | 3,220 mm |

TRACKS AS REOUIRED


HUSKY is equipped for every situation. Depending range of front attachments: there are no limits on the area of operation and the season, you can choose from three different track types: Aluminum, a cutter/blower, a range of mulchers or a steel, or all-season tracks. All three types are lawnmower, you can transform the HUSKY into fully optimized and are built for durability and a reliable tool for the summer months too. performance, delivering the best working results and optimum gradeability.

USE ALL YEAR ROUND

Working in summer, winter, or all year round? Our The optional front hydraulics can hold a wide to the possible applications. By attaching







Steel-, all season- or aluminum tracks

PROTECTION AGAINST BUSHES

An optional protective brush guard increases the safety levels, protecting the driver and passengers against rough bushes and preventing external wear and tear.

INCREASED FUEL TANK VOLUME

The HUSKY has the option of an additional 125-liter fuel tank, eliminating the need to refuel over long distances or in remote areas.

ALWAYS ON TRACK

AN ALL-ROUNDER WITH TOP PERFORMANCE

Thanks to its excellent performance and powerful engine, the HUSKY is a real all-round talent. It is perfectly suited to preparing cross-country trails, snowmobile trails, small pistes, toboggan runs as well as ski jumps and indoor ski slopes. It can be used in all areas of operation and delivers top performance, whatever the challenge.

PRECISE PREPARATION **OF CROSS-COUNTRY TRAILS**

Well-groomed cross-country trails are essential for an unforgettable cross-country experience. Using special rear attachments such as the NORDIC LINER, cross-country trails almost lay themselves. The tiller and track setting plates can be used independently depending on the conditions of the trail.

SNOWMOBILE TRACKS ON ANY TERRAIN

The HUSKY reliably and easily prepares snowmobile tracks on uneven terrain. With its low ground pressure and excellent maneuverability, no snow condition is too extreme. The high level of vehicle safety means that drivers can put their trust in its performance - whatever the weather conditions without having to worry about possible technical issues.

THE SPECIALIST FOR SMALL SLOPES AND FLYING HIGH **TOBOGGAN RUNS**

Small, guick, and maneuverable. The HUSKY knows how to play to its strengths. Its compact design, exceptional maneuverability and gradeability, and ability to operate with precision in small spaces make it the top choice for smaller slopes and toboggan runs.

ON THE SKI JUMP

If you want to touch the sky, you can't be afraid of heights. The HUSKY is a fearless high-flyer: it performs effortlessly on ski jumps, preparing the terrain to guarantee a perfect landing for athletes.





REINFORCED VEHICLE FRAME

The HUSKY's frame has been reinforced, improving its resistance to heavier when shoveling snow or preparing snowmobile tracks.

SUITABLE FOR INDOOR USE THANKS TO LOW EMISSIONS

Thanks to its clean engine technology, the HUSKY generates 91% less nitrogen oxide and 87.5% less particulate matter. With these low emission levels, the HUSKY ensures that the air in closed spaces remains clean and is therefore perfectly suited to indoor use, for example on indoor ski slopes.

PERFECT CONTROL

Depending on your preferences and habits, you can choose the standard steering wheel or optional steering levers.



HYDRAULIC CONNECTIONS

Four hydraulic connections on the rear mounting frame allow you to attach a wide range of drags for preparing snowmobile tracks.

FUNCTIONS

CAN-BUS **CONTROL SYSTEM**

The new CAN bus technology connects all the control devices in the vehicle for efficient and reliable diagnosis. Faults can be resolved quickly and seamless operation guaranteed.

SETTING THE DESIRED ENGINE SPEED

The Cruise Control function allows the driver to set the desired engine speed and control both speed and steering behavior using the steering levers or wheel. If necessary, the default setting can be overruled at any time by using the foot pedal.

CERTIFIED SAFETY FOR THE DRIVER

The HUSKY is ROPS certified to DIN EN 15059. In the event of a roll-over, the design of the driver's cabin prevents excessive deformation and injury to the driver and passengers.

HISKY

IT'S ALL ABOUT RELIABILITY

Designing a vehicle is a balancing act between reliability and the lowest possible weight. The loads experienced during operation were simulated using the *finite element method* (FEM) in order to achieve an optimum power/ weight ratio and good reliability.

DETAILED DIAGNOSIS ON THE DISPLAY


possible malfunctions and gives instructions during the startup test. This facilitates troubleshooting and provides a targeted solution for the fault in the system.

ATTACHMENT FRAME

The geometric design of the attachment frame permits an optimum range of movement for the blade.

Printh









SNOW DEPTH MEASUREMENT

High-precision snow depth measurement and visualization. PRINOTH has partnered with Leica Geosystems to offer a satellitebased system that enables highly accurate snow depth measurement. This system uses a 3D model of the terrain without snow to provide the basis for accurately measuring snow depth.



RESOURCE MANAGEMENT

Recording and evaluating relevant vehicle data. Highly efficient software uses accurate measuring methods and precise vehicle monitoring to show how productivity can be increased and costs cut.



MOUNTAIN CONSULTING

A consultancy program for the entire ski resort. MOUNTAIN CONSULTING is a consultancy program adapted to the individual needs of each ski resort that is divided into several blocks over the whole season.



INDIVIDUAL OPERATOR TRAINING

Following a requirements analysis, individual driver training is used to optimize the driver's operation method. Customized, in-depth training delivers lasting improvements.

SNOW HOW & SERVICE

ANALYSIS AND CONSULTING CONCEPT

PRINOTH provides you with the most up-todate snow groomers which have been tried and tested worldwide. But that's not all. We also provide you with the knowledge necessary to improve performance and reduce operating costs. For this we have developed SNOW HOW by PRINOTH.

OPTIMIZATION OF WORK PROCEDURES

SNOW HOW is a combination of innovative technology and targeted consultation and training measures based on the many years of experience of our experts. Optimizing work procedures is a key element of this program. SNOW HOW consists of four building blocks that can be used in combination or alone to achieve lasting improvements.

PRODUCTIVITY & QUALITY

SNOW HOW guarantees higher productivity and better slope quality for operators of ski resorts, ski jumps, and cross-country ski trails. PRINOTH is laying the foundations for innovative snow groomers with high performance and efficiency in combination with low consumption and sustainable environmental protection.

MAINTENANCE MADE EASY

When developing the HUSKY, we paid particular attention to ensuring easy access to the service components in order to make maintenance as simple as possible. Thanks to this approach, the vehicle is easy to maintain despite its technological complexity and innovative engine technology. We have also reduced the amount of hosing on the vehicle, reducing the risk of burst hoses.

MAINTENANCE AND CHECK-UP

The preconditions for cost-optimized snow grooming is proper maintenance and rapid vehicle repair. Cut your operating costs through early fault diagnosis and thereby increase the lifespan and reliability of your snow groomer. We offer quick and reliable service to ensure that your vehicle are 100% ready for use this winter.







HUSKY – TECHNICAL DATA

DIMENSIONS AND WEIGHT

PERFORMANCE

Overall vehicle length Overall vehicle length with attachments Overall vehicle length with attachments including NORDIC LINER Overall height Versions of working width Shipping dimensions (length-width-height) Vehicle weight with aluminum tracks and attachments (blade, tiller) from Permitted gross weight

4,065 mm (160 in) 7,400 mm (291 in) 8,590 mm (338 in) 2,770 mm (109 in) 2.5/2.8/3.1 m 5,110 mm - 2,445 mm - 2,655 mm (201 in - 96 in - 104 in) 5,565 kg (12,269 lb) 7,500 kg (16,534 lb)

INCLUDED FUNCTIONS IN STANDARD CONFIGURATION

24 km/h (14.9 mph) Drive pump 90 cm³ (9 l) Max. speed Turning radius 0° Final drive 63 cm³ (6,3 l) Payload 500 kg (1,102 lb)

DRIVE

Adjustable down pressure Cruise Control On board diagnostic Multiple driver profiles Hydraulic track tensioning

| CABIN | ENGINE | | | OPTIONS |
|--|---|------------------------------|--|--|
| •••••• | ••••• | | •••••• | ••••• |
| Left hand drive, mechanical suspension, adjustable Seat bench for 1,5 persons 7" in color display Steering wheel PRINOTH Universal joystick Tinted sunroof Heated windows Heated mirrors Hydraulically tiltable cabin Radio FM/AM, CD, MP3, WMA; input for USB, iPod/ iPad direct control via USB, AUX in ROPS certified according to EN 15059 | Model Power output (ECE) Max. torque Displacement Layout Exhaust emission st Emission regulation Tank capacity fuel Tank capacity AdBlu | 900 Nm @ andard s type | MTU 0M 934 PS (170 kW/228 bhp) 2 1,200-1,600 min ⁻¹ 5.1 l In line 4 cylinder, direct injection, Common Rail Stufe IV/ EPA Tier 4 SCR 150 l (39.6 gal) 40 l (10.5 gal) | Comfort seat Steering levers Air conditioning Heated wipers Full-LED equipmen mirror supports) Brushguard Rear view camera RESOURCE MANAG SNOW DEPTH MEA Radio with DAB P Additional fuel ta Floating position Side wings for till Preparation for frr |

ELECTRICAL SYSTEM

Operating voltage

Starting capacity

Starter

TILLER

Generator Battery

LIGHTING

24 VDC 4 halogen working lights 24 VDC 2 high/low beam lights 28 VDC/150 A 2 x 12 VDC/74 Ah 2 turning lights 680 A (EN) 4 halogen working lights at the back

Direction and position lights

nent (with 4 working lights on the AGEMENT EASUREMENT Plus and Bluetooth® tank (125 l) on blade iller front hydraulics Steel tracks, all season tracks

ADDITONAL EQUIPMENT

V 3.1

NORDIC LINER basic (with/ without track tiller) NORDIC LINER move (with/ without track tiller)

| Open 3,250 mm (127 in) 3,650 mm (143 in) | 3 875 mm (152 in) |
|--|-------------------|
| | 5,675 mm (152 m) |
| Closed 2,720 mm (107 in) 3,000 mm (118 in) | 3,220 mm (126 in) |
| | |

V 2.3

| ••••••••••••••••••••••••••••••••••••••• | | · | | |
|---|-------------------|-------------------|-------------------|-------------------|
| Tiller without hydraulic side wings | 3,255 mm (128 in) | 3,530 mm (138 in) | 3,700 mm (145 in) | 4,060 mm (160 in) |
| Tiller with hydraulic side wings up | 3,075 mm (121 in) | 3,345 mm (131 in) | 3,530 mm (139 in) | 3,880 mm (152 in) |
| Tiller with hydraulic side wings down | 4,095 mm (161 in) | 4,365 mm (171 in) | 4,550 mm (179 in) | 4,900 mm (192 in) |

8590 7400 1850 2500 2860

3180

V 2.5

V 2.8





www.prinoth.com

PRINOTH AG Brennerstraße 34 39049 Sterzing (BZ) ITALY Tel. +39 0472 72 26 22 Fax +39 0472 72 26 18 prinoth@prinoth.com

PRINOTH S.A.S. 5, Rue Galilée Alpespace B.P. 62 73802 Montmelian, Cedex FRANCE Tel. +33 479 84 76 76 Fax +33 479 84 76 77 prinoth.france@prinoth.com PRINOTH AG Gemmistrasse 45 3970 Salgesch SWITZERLAND Tel. +41 27 456 26 56 Fax +41 27 456 47 00 info@prinoth.ch

PRINOTH Ltd 1001, J.-A. Bombardier Street Granby Qc J2J 1E9 CANADA Tel. +1 450 776 3663 Fax +1 450 776 3685 prinoth.canada@prinoth.com PRINOTH GmbH Michael-Seeber-Straße 1 6410 Telfs AUSTRIA Tel. +43 526 262 121 Fax +43 526 262 123 160 prinoth.austria@prinoth.com

PRINOTH LLC 2746 Seeber Drive Bldg B Grand Junction, co 81506 USA Tel. +1 970 242 7150 Fax +1 970 241 6722 prinoth.us@prinoth.com